G H raisoni COLLEGE | Engineering and Management Nagpur

## RESULT REPORT FOR WINTER 2024 - Regular

**Degree :** B. TECH. **Branch :** ARTIFICIAL INTELLIGENCE

**Semester :** V

| S.No | Roll No | Registration No | SGPA | CGPA |
|---|---|---|---|---|
| 1 | 21 | 2122ACFBTAIE005 | 5.29 | 4.82 |
| 2 | D2 | 2223CPFBTAIE002 | 6.71 | 6.32 |
| 3 | D3 | 2223CPFBTAIE003 | 7.83 | 6.81 |
| 4 | D4 | 2223MGFBTAIE008 | 8.83 | 8.15 |
| 5 | D5 | 2223CPFBTAIE006 | 7.50 | 6.6 |
| 6 | D7 | 2223CPFBTAIE004 | 6.54 | 6.26 |
| 7 | D8 | 2223CPFBTAIE005 | 5.92 | 5.98 |
| 8 | D9 | 2223MGFBTAIE009 | 8.00 | 7.52 |
| 9 | D10 | 2223CPFBTAIE010 | 6.13 | 6.12 |
| 10 | D11 | 2223CPFBTAIE011 | 8.92 | 9.05 |
| 11 | D12 | 2223CPFBTAIE012 | 7.63 | 6.75 |
| 12 | D14 | 2223CPFBTAIE014 | 6.50 | 7.42 |
| 13 | D17 | 2223TFFBTAIE017 | 7.42 | 7.56 |
| 14 | D19 | 2223MGFBTAIE019 | 6.83 | 6.76 |
| 15 | D20 | 2223CPFBTAIE020 | 5.92 | 5.91 |
| 16 | D21 | 2223CPFBTAIE188 | 8.58 | 7.28 |
| 17 | D22 | 2223CPFBTAIE021 | 7.13 | 7.3 |
| 18 | D23 | 2223MGFBTAIE024 | 8.13 | 7.21 |
| 19 | D24 | 2223CPFBTAIE022 | 5.46 | 5.49 |
| 20 | D26 | 2223CPFBTAIE023 | 5.54 | 5.59 |
| 21 | D27 | 2223CPFBTAIE026 | 7.13 | 6.45 |
| 22 | D28 | 2223CPFBTAIE027 | 7.25 | 6.51 |
| 23 | D30 | 2223CPFBTAIE029 | 8.58 | 8.5 |
| 24 | D31 | 2223AAFBTAIE030 | 6.50 | 6.2 |
| 25 | D32 | 2223CPFBTAIE031 | 6.04 | 6.06 |
| 26 | D33 | 2223CPFBTAIE036 | 6.54 | 6.31 |
| 27 | D34 | 2223CPFBTAIE034 | 7.13 | 6.41 |
| 28 | D35 | 2223CPFBTAIE032 | 6.42 | 6.02 |
| 29 | D37 | 2223GSFBTAIE033 | 8.96 | 7.45 |
| 30 | D38 | 2223MGFBTAIE037 | 7.42 | 6.5 |

| S.No | Roll No | Registration No | SGPA | CGPA |
|---|---|---|---|---|
| 31 | D39 | 2223MGFBTAIE038 | 5.79 | 6.15 |
| 32 | D40 | 2223MGFBTAIE039 | 5.96 | 6.25 |
| 33 | D41 | 2223CPFBTAIE041 | 9.25 | 8.89 |
| 34 | D42 | 2223TFFBTAIE040 | 6.46 | 6.52 |
| 35 | D44 | 2223CPFBTAIE043 | 6.25 | 5.9 |
| 36 | D46 | 2223CPFBTAIE045 | 8.63 | 8.33 |
| 37 | D47 | 2223CPFBTAIE046 | 7.13 | 7.03 |
| 38 | D48 | 2223CPFBTAIE047 | 7.29 | 7.7 |
| 39 | D49 | 2223CPFBTAIE048 | 6.96 | 6.98 |
| 40 | D50 | 2223CPFBTAIE049 | 8.13 | 7.96 |
| 41 | D51 | 2223CPFBTAIE050 | 9.29 | 9.1 |
| 42 | D52 | 2223CPFBTAIE051 | 6.08 | 6.13 |
| 43 | D54 | 2223CPFBTAIE053 | 5.96 | 5.73 |
| 44 | D56 | 2223CPFBTAIE055 | 6.42 | 6.07 |
| 45 | D59 | 2223TFFBTAIE057 | 6.04 | 5.77 |
| 46 | D60 | 2223AAFBTAIE059 | 9.33 | 8.3 |
| 47 | D61 | 2223MGFBTAIE060 | 9.38 | 8.63 |
| 48 | D62 | 2223CPFBTAIE061 | 7.75 | 7.96 |
| 49 | D63 | 2223CPFBTAIE062 | 8.83 | 8.14 |
| 50 | E2 | 2223AAFBTAIE064 | 6.21 | 5.81 |
| 51 | E5 | 2223CPFBTAIE067 | 7.21 | 7.27 |
| 52 | E6 | 2223CPFBTAIE068 | 6.83 | 6.7 |
| 53 | E7 | 2223CPFBTAIE069 | 8.46 | 8.0 |
| 54 | E8 | 2223CPFBTAIE070 | 7.21 | 6.94 |
| 55 | E9 | 2223CPFBTAIE071 | 8.00 | 6.6 |
| 56 | E10 | 2223CPFBTAIE072 | 7.00 | 6.28 |
| 57 | E11 | 2223CPFBTAIE073 | 6.13 | 6.42 |
| 58 | E12 | 2223CPFBTAIE074 | 8.33 | 7.8 |
| 59 | E13 | 2223CPFBTAIE075 | 5.50 | 5.7 |
| 60 | E14 | 2223AAFBTAIE077 | 6.17 | 6.04 |

**Note: Above result declaration on the basis of primary data received.Original mark list result will be the final and corrected result**

Copy to:
1. Director
2. Registrar
3. HOD (BTAI) for circulation among students and Staff.

G H raisoni COLLEGE | Engineering and Management Nagpur

## RESULT REPORT FOR WINTER 2024 - Regular

**Degree :** B. TECH. **Branch :** ARTIFICIAL INTELLIGENCE

**Semester :** V

| S.No | Roll No | Registration No | SGPA | CGPA |
|---|---|---|---|---|
| 61 | E15 | 2223CPFBTAIE076 | 9.08 | 8.93 |
| 62 | E16 | 2223CPFBTAIE078 | 8.25 | 7.56 |
| 63 | E17 | 2223CPFBTAIE079 | 9.33 | 9.12 |
| 64 | E18 | 2223MGFBTAIE080 | 5.79 | 5.77 |
| 65 | E19 | 2223CPFBTAIE081 | 6.67 | 6.9 |
| 66 | E20 | 2223CPFBTAIE082 | 7.75 | 7.52 |
| 67 | E22 | 2223MGFBTAIE083 | 8.33 | 7.47 |
| 68 | E23 | 2223MGFBTAIE084 | 7.08 | 6.84 |
| 69 | E24 | 2223CPFBTAIE086 | 6.46 | 6.31 |
| 70 | E26 | 2223AAFBTAIE087 | 7.29 | 6.92 |
| 71 | E28 | 2223CPFBTAIE089 | 7.71 | 7.59 |
| 72 | E29 | 2223CPFBTAIE090 | 7.79 | 8.0 |
| 73 | E30 | 2223CPFBTAIE091 | 7.79 | 7.86 |
| 74 | E31 | 2223CPFBTAIE092 | 7.83 | 7.42 |
| 75 | E32 | 2223TFFBTAIE093 | 7.46 | 7.35 |
| 76 | E35 | 2223CPFBTAIE095 | 9.33 | 8.7 |
| 77 | E37 | 2223TFFBTAIE098 | 6.58 | 6.74 |
| 78 | E38 | 2223CPFBTAIE099 | 8.25 | 8.17 |
| 79 | E39 | 2223CPFBTAIE101 | 8.46 | 8.29 |
| 80 | E40 | 2223CPFBTAIE100 | 8.29 | 7.71 |
| 81 | E42 | 2223CPFBTAIE103 | 9.13 | 8.32 |
| 82 | E43 | 2223CPFBTAIE104 | 7.42 | 6.92 |
| 83 | E44 | 2223MGFBTAIE105 | 8.38 | 8.27 |
| 84 | E45 | 2223MGFBTAIE106 | 7.13 | 7.33 |
| 85 | E46 | 2223MGFBTAIE107 | 7.04 | 6.46 |
| 86 | E47 | 2223MGFBTAIE108 | 8.21 | 7.16 |
| 87 | E48 | 2223CPFBTAIE109 | 8.83 | 8.18 |
| 88 | E49 | 2223CPFBTAIE110 | 7.92 | 7.44 |
| 89 | E50 | 2223MGFBTAIE111 | 7.13 | 6.27 |
| 90 | E51 | 2223CPFBTAIE112 | 6.54 | 5.96 |

| S.No | Roll No | Registration No | SGPA | CGPA |
|---|---|---|---|---|
| 91 | E53 | 2223CPFBTAIE115 | 6.50 | 6.64 |
| 92 | E54 | 2223CPFBTAIE114 | 7.50 | 6.75 |
| 93 | E56 | 2223MGFBTAIE118 | 7.79 | 7.25 |
| 94 | E57 | 2223MGFBTAIE116 | 6.08 | 5.97 |
| 95 | E58 | 2223CPFBTAIE119 | 8.88 | 8.36 |
| 96 | E59 | 2223CPFBTAIE120 | 7.88 | 8.08 |
| 97 | E60 | 2223CPFBTAIE121 | 9.21 | 8.78 |
| 98 | E61 | 2223CPFBTAIE122 | 6.79 | 6.56 |
| 99 | E62 | 2223CPFBTAIE123 | 9.29 | 8.2 |
| 100 | E63 | 2223CPFBTAIE125 | 8.92 | 7.91 |
| 101 | F1 | 2223MGFBTAIE124 | 7.13 | 7.11 |
| 102 | F2 | 2223MGFBTAIE126 | 9.04 | 8.11 |
| 103 | F3 | 2223MGFBTAIE127 | 7.75 | 7.12 |
| 104 | F4 | 2223CPFBTAIE128 | 9.08 | 8.26 |
| 105 | F5 | 2223CPFBTAIE129 | 8.04 | 7.92 |
| 106 | F6 | 2223CPFBTAIE130 | 8.71 | 7.83 |
| 107 | F7 | 2223MGFBTAIE131 | 7.79 | 6.55 |
| 108 | F8 | 2223AAFBTAIE132 | 8.42 | 7.9 |
| 109 | F9 | 2223CPFBTAIE133 | 7.71 | 7.32 |
| 110 | F10 | 2223CPFBTAIE134 | 8.13 | 7.28 |
| 111 | F11 | 2223CPFBTAIE135 | 8.21 | 7.63 |
| 112 | F12 | 2223MGFBTAIE136 | 9.38 | 8.74 |
| 113 | F13 | 2223CPFBTAIE137 | 8.00 | 8.1 |
| 114 | F14 | 2223CPFBTAIE138 | 8.08 | 7.06 |
| 115 | F15 | 2223CPFBTAIE139 | 7.71 | 7.82 |
| 116 | F16 | 2223MGFBTAIE140 | 8.04 | 7.66 |
| 117 | F17 | 2223CPFBTAIE141 | 8.46 | 8.34 |
| 118 | F18 | 2223CPFBTAIE142 | 8.50 | 8.17 |
| 119 | F19 | 2223CPFBTAIE143 | 7.46 | 6.7 |
| 120 | F20 | 2223CPFBTAIE144 | 8.63 | 8.15 |

**Note: Above result declaration on the basis of primary data received.Original mark list result will be the final and corrected result**

Copy to:
1. Director
2. Registrar
3. HOD (BTAI) for circulation among students and Staff.

G H raisoni COLLEGE | Engineering and Management Nagpur

## RESULT REPORT FOR WINTER 2024 - Regular

**Degree :** B. TECH. **Branch :** ARTIFICIAL INTELLIGENCE

**Semester :** V

| S.No | Roll No | Registration No | SGPA | CGPA |
|---|---|---|---|---|
| 121 | F21 | 2223TFFBTAIE145 | 8.54 | 8.29 |
| 122 | F22 | 2223MGFBTAIE146 | 6.86 | 6.3 |
| 123 | F23 | 2223CPFBTAIE147 | 8.96 | 8.93 |
| 124 | F24 | 2223CPFBTAIE148 | 6.96 | 7.1 |
| 125 | F25 | 2223MGFBTAIE149 | 6.25 | 5.57 |
| 126 | F26 | 2223CPFBTAIE150 | 8.92 | 8.87 |
| 127 | F27 | 2223CPFBTAIE151 | 7.08 | 7.86 |
| 128 | F28 | 2223CPFBTAIE152 | 6.83 | 6.88 |
| 129 | F29 | 2223CPFBTAIE153 | 8.54 | 9.17 |
| 130 | F30 | 2223CPFBTAIE154 | 7.54 | 7.46 |
| 131 | F32 | 2223CPFBTAIE156 | 8.38 | 8.1 |
| 132 | F33 | 2223CPFBTAIE157 | 7.63 | 6.94 |
| 133 | F34 | 2223CPFBTAIE158 | 6.67 | 6.53 |
| 134 | F35 | 2223CPFBTAIE159 | 9.50 | 9.24 |
| 135 | F36 | 2223CPFBTAIE160 | 8.08 | 8.3 |
| 136 | F37 | 2223CPFBTAIE161 | 6.75 | 6.5 |
| 137 | F39 | 2223CPFBTAIE163 | 6.42 | 6.74 |
| 138 | F40 | 2223CPFBTAIE164 | 7.67 | 7.85 |
| 139 | F41 | 2223CPFBTAIE165 | 7.79 | 7.7 |
| 140 | F42 | 2223CPFBTAIE166 | 6.63 | 6.95 |
| 141 | F43 | 2223MGFBTAIE167 | 6.46 | 6.16 |
| 142 | F45 | 2223MGFBTAIE169 | 8.08 | 7.69 |
| 143 | F46 | 2223CPFBTAIE170 | 7.88 | 7.86 |
| 144 | F47 | 2223CPFBTAIE171 | 7.54 | 7.99 |
| 145 | F49 | 2223CPFBTAIE173 | 8.67 | 8.52 |
| 146 | F50 | 2223CPFBTAIE174 | 7.75 | 8.57 |
| 147 | F51 | 2223CPFBTAIE175 | 8.42 | 7.7 |
| 148 | F52 | 2223CPFBTAIE177 | 6.71 | 6.48 |
| 149 | F54 | 2223CPFBTAIE178 | 8.63 | 8.25 |
| 150 | F56 | 2223CPFBTAIE180 | 8.17 | 7.98 |

| S.No | Roll No | Registration No | SGPA | CGPA |
|---|---|---|---|---|
| 151 | F57 | 2223CPFBTAIE181 | 7.29 | 7.03 |
| 152 | F58 | 2223CPFBTAIE182 | 8.46 | 8.5 |
| 153 | F59 | 2223CPFBTAIE185 | 8.08 | 7.97 |
| 154 | F60 | 2223TFFBTAIE184 | 9.17 | 8.66 |
| 155 | F61 | 2223CPFBTAIE183 | 8.63 | 8.39 |
| 156 | F62 | 2223TFFBTAIE186 | 8.92 | 8.72 |
| 157 | F64 | 2324CPDBTAIE194 | 8.13 | 7.56 |
| 158 | F66 | 2324AADBTAIE210 | 6.71 | 6.79 |
| 159 | F67 | 2324CPDBTAIE211 | 7.58 | 7.07 |
| 160 | F68 | 2324CPDBTAIE189 | 7.96 | 7.74 |
| 161 | F70 | 2324CPDBTAIE202 | 6.92 | 6.31 |
| 162 | F71 | 2324CPDBTAIE209 | 6.61 | 6.78 |
| 163 | F72 | 2324CPDBTAIE208 | 8.21 | 7.38 |
| 164 | F73 | 2324CPDBTAIE206 | 7.58 | 7.09 |
| 165 | F74 | 2324CPDBTAIE204 | 6.79 | 6.84 |
| 166 | F75 | 2324CPDBTAIE192 | 7.08 | 7.12 |
| 167 | F77 | 2324CPDBTAIE205 | 7.75 | 7.44 |
| 168 | F78 | 2324CPDBTAIE198 | 8.04 | 7.41 |
| 169 | F79 | 2324CPDBTAIE207 | 7.63 | 6.96 |
| 170 | F81 | 2324CPDBTAIE200 | 6.96 | 6.56 |

**Note: Above result declaration on the basis of primary data received.Original mark list result will be the final and corrected result**

Copy to:
1. Director
2. Registrar
3. HOD (BTAI) for circulation among students and Staff.